

Move RHEL Users

Step 1, on source

Run the following commands as root source) system which has users configured

```
ID_minimum=500
for f in /etc/{passwd,group}; do awk -F: -vID=$ID_minimum '$3>=ID && $1!="nfsnobody"' $f |sort -nt: -k3 >
${f#/etc/}.bak; done
while read line; do grep -w "^${line%%:*}" /etc/shadow; done <passwd.bak >shadow.bak
while read line; do grep -w "^${line%%:*}" /etc/gshadow; done <group.bak >gshadow.bak
```

After running the above, 4 new files will be in the current directory (`passwd.bak`, `group.bak`, `shadow.bak`, and `gshadow.bak`). Inspect them and then transfer to the new *destination* system.

Step 2, on destination

Run the following command as root on the destination system in a directory containing the four `.bak` files.

```
for f in {passwd,group,shadow,gshadow}.bak; do cat $f >>/etc/${f%.bak}; done
```

Step 3, on destination

Run the following final compound command destination system in the same directory as the previous step

```
for uidgid in $(cut -d: -f3,4 passwd.bak); do
  dir=$(awk -F: /$uidgid/{print$6} passwd.bak)
  mkdir -vm700 "$dir"; cp -r /etc/skel/.[:alpha:]* "$dir"
  chown -R $uidgid "$dir"; ls -ld "$dir"
done
```

This final command will setup home directories for the users.

Revision #1

Created 14 January 2020 23:07:04 by Michael Cleary

Updated 16 February 2022 23:59:58 by Michael Cleary