

tmux

Session Control (from the command line)

<code>tmux</code>	Start a new session
<code>tmux new -s <session-name></code>	Start a new session with the name chosen
<code>tmux ls</code>	List all sessions
<code>tmux attach -t <target-session></code>	Re-attach a detached session
<code>tmux attach -d -t <target-session></code>	Re-attach a detached session (and detach it from elsewhere)
<code>tmux kill-session -t <target-session></code>	Delete session

Pane Control

<code>Ctrl</code> <code>b</code> , <code>"</code>	Split pane horizontally
<code>Ctrl</code> <code>b</code> , <code>%</code>	Split pane vertically
<code>Ctrl</code> <code>b</code> , <code>o</code>	Next pane
<code>Ctrl</code> <code>b</code> , <code>;</code>	Previous pane
<code>Ctrl</code> <code>b</code> , <code>q</code>	Show pane numbers
<code>Ctrl</code> <code>b</code> , <code>z</code>	Toggle pane zoom
<code>Ctrl</code> <code>b</code> , <code>!</code>	Convert pane into a window
<code>Ctrl</code> <code>b</code> , <code>x</code>	Kill current pane
<code>Ctrl</code> <code>b</code> , <code>Ctrl</code> <code>O</code>	Swap panes
<code>Ctrl</code> <code>b</code> , <code>t</code>	Display clock
<code>Ctrl</code> <code>b</code> , <code>q</code>	Transpose two letters (delete and paste)
<code>Ctrl</code> <code>b</code> , <code>{</code>	Move to the previous pane
<code>Ctrl</code> <code>b</code> , <code>}</code>	Move to the next pane
<code>Ctrl</code> <code>b</code> , <code>Space</code>	Toggle between pane layouts
<code>Ctrl</code> <code>b</code> , <code>↑</code>	Resize pane (make taller)
<code>Ctrl</code> <code>b</code> , <code>↓</code>	Resize pane (make smaller)
<code>Ctrl</code> <code>b</code> , <code>←</code>	Resize pane (make wider)
<code>Ctrl</code> <code>b</code> , <code>→</code>	Resize pane (make narrower)

Window Control

<div>Ctrl</div> <div>b</div> <div>,</div> <div>c</div>	Create new window
<div>Ctrl</div> <div>b</div> <div>,</div> <div>d</div>	Detach from session
<div>Ctrl</div> <div>b</div> <div>,</div> <div>,</div>	Rename current window
<div>Ctrl</div> <div>b</div> <div>,</div> <div>&</div>	Close current window
<div>Ctrl</div> <div>b</div> <div>,</div> <div>w</div>	List windows
<div>Ctrl</div> <div>b</div> <div>,</div> <div>p</div>	Previous window
<div>Ctrl</div> <div>b</div> <div>,</div> <div>n</div>	Next window

Copy-Mode (Emacs)

<div>Ctrl</div> <div>b</div> <div>,</div> <div>[</div>	Enter copy mode
<div>Ctrl</div> <div>b</div> <div>,</div> <div>M-<</div>	Bottom of history
<div>Ctrl</div> <div>b</div> <div>,</div> <div>M-></div>	Top of history
<div>Ctrl</div> <div>b</div> <div>,</div> <div>M-m</div>	Back to indentation
<div>Ctrl</div> <div>b</div> <div>,</div> <div>M-w</div>	Copy selection
<div>Ctrl</div> <div>b</div> <div>,</div> <div>M-y</div>	Paste selection
<div>Ctrl</div> <div>b</div> <div>,</div> <div>Ctrl</div> <div>g</div>	Clear selection
<div>Ctrl</div> <div>b</div> <div>,</div> <div>M-R</div>	Cursor to top line
<div>Ctrl</div> <div>b</div> <div>,</div> <div>M-r</div>	Cursor to middle line
<div>Ctrl</div> <div>b</div> <div>,</div> <div>↑</div>	Cursor Up
<div>Ctrl</div> <div>b</div> <div>,</div> <div>↓</div>	Cursor Down
<div>Ctrl</div> <div>b</div> <div>,</div> <div>←</div>	Cursor Left
<div>Ctrl</div> <div>b</div> <div>,</div> <div>→</div>	Cursor Right

Copy-Mode (vi)

<div>Ctrl</div> <div>b</div> <div>,</div> <div>[</div>	Enter copy mode
<div>Ctrl</div> <div>b</div> <div>,</div> <div>G</div>	Bottom of history
<div>Ctrl</div> <div>b</div> <div>,</div> <div>g</div>	Top of history
<div>Ctrl</div> <div>b</div> <div>,</div> <div>Enter</div>	Copy selection
<div>Ctrl</div> <div>b</div> <div>,</div> <div>p</div>	Paste selection
<div>Ctrl</div> <div>b</div> <div>,</div> <div>k</div>	Cursor Up
<div>Ctrl</div> <div>b</div> <div>,</div> <div>j</div>	Cursor Down
<div>Ctrl</div> <div>b</div> <div>,</div> <div>h</div>	Cursor Left
<div>Ctrl</div> <div>b</div> <div>,</div> <div>l</div>	Cursor Right

Revision #1

Created 27 May 2020 19:42:37 by Michael Cleary

Updated 16 February 2022 23:59:58 by Michael Cleary