

mod_GeoIP on CentOS 7

Mod_GeoIP is an Apache module that can be used to get the geographic location of IP address of the visitor into the Apache web server. The module allows you to determine the visitor's country and location. It is specially useful for Geo Ad Serving, Target Content, Spam Fighting, Fraud Detection, Redirecting/Blocking visitors based on their country and much more.

GeoIP module allows system administrators to redirect or block web traffic according on the client geographical location. The geographical location is learned via client IP address.

Mod_GeoIP has two versions, one is Free and another one is Paid.

Enable EPEL Repository

Mod_Geoip is not available under official repository, install and enable third party EPEL repository.

```
yum install epel-release
```

Install Mod_GeoIP

Once you've **EPEL** repository enabled on your system, you can simple install **mod_geoip** by running following command with their dependency packages.

```
yum install mod_geoip GeoIP GeoIP-devel GeoIP-data zlib-devel
```

Download latest Geo Databases

It's good idea to download latest **Geo City** and **Country Database** to stay updated.

```
cd /usr/share/GeoIP/  
mv GeoIP.dat GeoIP.dat_org  
wget http://geolite.maxmind.com/download/geoip/database/GeoLite2-Country.tar.gz  
wget http://geolite.maxmind.com/download/geoip/database/GeoLite2-City.tar.gz  
gunzip GeoLite2-Country.tar.gz  
gunzip GeoLite2-City.tar.gz
```

Enable Mod_GeoIP in Apache

After the module has been installed, open and edit the module main configuration file, with a command line text editor such as **vim**, and activate the module server-wide, as illustrated in the

below excerpt.

```
vim /etc/httpd/conf.d/geoip.conf
```

Set the line `GeoIPEnable` from **Off** to **On**. Also, make sure you add the absolute path to GeoIP database file.

```
<IfModule mod_geoip.c>  
GeoIPEnable On  
GeoIPDBFile /usr/share/GeoIP/GeoIP.dat MemoryCache  
</IfModule>
```

Restart the **Apache** service to reflect changes.

```
systemctl restart httpd
```

If you are running multiple sites, It's not recommended to turn on GeoIP module server-wide. You should enable the GeoIP module only in `<Location>` or `<Directory>` blocks where you would actually perform the traffic redirection or block.

Updating GeoIP Database

GeoIP database is updated beginning of every month. So, its is very important to keep GeoIP database up-to-date. To download latest version of database use the following command.

```
cd /usr/share/GeoIP/  
mv GeoIP.dat GeoIP.dat_org  
wget http://geolite.maxmind.com/download/geoip/database/GeoLite2-Country.tar.gz  
wget http://geolite.maxmind.com/download/geoip/database/GeoLite2-City.tar.gz  
gunzip GeoLite2-Country.tar.gz  
gunzip GeoLite2-City.tar.gz
```

For more information about `mod_geoip` and its usage can be found at

http://www.maxmind.com/app/mod_geoip.

Revision #1

Created 14 March 2019 11:41:09 by Michael Cleary

Updated 16 February 2022 23:58:51 by Michael Cleary