

# OCI CLI setup

## Setup OCI

You'll need a terminal and a browser. Log in to OCI and go to your profile. You'll need the user OCID and the tenant OCID. Note the region you are in.

## Install oci

- Oracle Linux 8

```
sudo dnf -y install oraclelinux-developer-release-el8
sudo dnf install python36-oci-cli
```

- Other Linux

```
bash -c "$(curl -L https://raw.githubusercontent.com/oracle/oci-cli/master/scripts/install/install.sh)"
```

- MacOS

```
brew upgrade && brew update && brew install oci-cli
```

- Windows

lol. No. Get a Linux box or use WSL.

## Configure

At the command line:

```
oci setup config
```

In a browser open the OCI console copy the user OCID.

Open the Profile menu (User menu icon) and click User Settings.

Copy the user OCID and return to the command line. Paste the user OCID at the User OCID prompt and hit return.

Return to the OCI console and navigate to Administration > Tenancy Details. In the Tenancy Information tab, click Copy to copy the OCID.

Return to the command line and paste the value at the OICD prompt and hit return.

Enter the associated region, hit enter.

Generate or enter the path to the private PEM file. For example, `~/.oci/oci_api_key.pem` If required, enter the passphrase used with the key. Enter y or no to the prompt asking about whether to store the passphrase.

The configuration process is complete.

## CLI Concepts

---

Revision #1

Created 21 July 2022 20:04:55 by Michael Cleary

Updated 6 February 2024 13:25:52 by Michael Cleary